Appendix C


Proposed Action Information

General

This appendix contains detailed information regarding the proposed action for the project, Nine/Eight/Ten/Eight Lanes. Included in the following pages are typical sections, plan sheets, structure situation and layout sheets and a preliminary cost estimate for the project.

NINE/EIGHT/TEN/EIGHT LANES ALTERNATIVE

(9 Lanes, Alpine Int. to Bangerter Highway Int.; 8 Lanes Under Bangerter Highway; 10 Lanes, Bangerter Highway Int. to 10600 South Int.; 8 Lanes Under 10600 South)



ALPINE EXIT TO UTAH COUNTY LINE

SHEET NOTES:

1 INSIDE SHOULDER, WIDENED DURING UDOT MAINTENANCE PROJECT (SPRING 2003), RESTRIPED AS NEW TRAFFIC LANE

⋖

TRANSPORT

무

DEPARTMENT C

UTAH

10600

10

INE

co.

UTAH 9/8/

2

۸L


6

SALT LAKE

-15

SP.


- ② PRPOSED NORTHBOUND CLIMBING LANE EXTENDS APPROXIMATELY 3000' INTO SALT LAKE COUNTY
- (3) UDOT MAINTENANCE PROJECT SPRING 2003



PRELIMINARY

UTAH COUNTY LINE TO 14600 SOUTH

(9 Lanes, Alpine Int. to Bangerter Highway Int.; 8 Lanes Under Bangerter Highway; 10 Lanes, Bangerter Highway Int. to 10600 South Int.; 8 Lanes Under 10600 South)



14600 SOUTH TO BANGERTER HIGHWAY

- SHEET NOTES:
- (1) PROPOSED MEDIAN WIDTH TRANSITIONS FROM 40' TO 28'.
- (2) EXISTING MEDIAN WIDTH TRANSITIONS FROM 64' TO 40'.

⋖

TRANSPORT

무임

DEPARTMENT (
REGIO
SALT LAKE

UTAH

SO. IVE

10600


10

UTAH CO. 9/8/10/8

SALT LAKE

SHEET NO. TS-2

AL.




UNDER BANGERTER HIGHWAY BRIDGE


PRELIMINARY

NINE/EIGHT/TEN/EIGHT LANES ALTERNATIVE

(9 Lanes, Alpine Int. to Bangerter Highway Int.; 8 Lanes Under Bangerter Highway; 10 Lanes, Bangerter Highway Int. to 10600 South Int.; 8 Lanes Under 10600 South)



BANGERTER HIGHWAY TO 12700 SOUTH (APPROXIMATE SOUTHERN EXTENT OF 12300 SOUTH PROJECT)




11900 SOUTH (APPROXIMATE NORTHERN EXTENT OF 12300 SOUTH PROJECT) TO 10600 SOUTH

PRELIMINARY

							NO. DATE DESIGN MAPS PARCELS REQUEST REMARKS	OPICINAL SUBMISSION FOR AUTHORIZATION	UNICINAL SOUMISSION FOR AUTHORIZATION	DATE REVISIONS	
	NO		í A	Stanley Consultants w.		REVIEW	Т				
	1 1 V			Stanley		2/03		V03 DA	Γ	5/03 BY	
	Tand					MDA 0		JKH U		LDD 0	
	JUNV		=	АН		CHECK		CHECK		CHECK	
	ΔL	<u> </u>	: :	۲ ، ا		05/03		50/50 05		05/03	
	IT OF		REGION IWO	SALT LAKE CITY, UTAH		DESIGN JRH 05/03 CHECK MOA 05/03 REVIEW		DRAWN LDD/GO 05/03 CHECK JRH 05/03 DATE		QUANT. DJO	
	HIAL DEDADIMEN		- - - -				PROJECT DESIGN ENGINEER			PRECONSTRUCTION ENGINEER QUANT. DJO 05/03 CHECK LDD 05/03 BY	
	□ V T I I	O A				APPROVAL RECOMM.	DATE		APPROVED	DATE	
	71-1	0-1	UTAH CO. LINE TO 10600 SO.		최도 9/8/10/8 LANE ALTERNATIVE #E888X*L			PROJECT SP-15-7(167)288			
	SALT LAKE COUNTY										
	SH	IEE	ΤN	10			S	_;	3		J

NINE/EIGHT/TEN/EIGHT LANES ALTERNATIVE

(9 Lanes, Alpine Int. to Bangerter Highway Int.; 8 Lanes Under Bangerter Highway; 10 Lanes, Bangerter Highway Int. to 10600 South Int.; 8 Lanes Under 10600 South)



04-JUN-2003 0:\I6244\3525_02\Sheet_Files\Typicals\8x11\3525_ts4.11x17.dgn

H		85′±	! 85'±	-	<u>s</u> ×
EXISTING BRIDGE ABUTMENT EXISTING BARRIER	12' 12' EXISTING EXISTING SHLDR TRAFFIC	EXISTING SOUTHBOUND TRAFFIC LANES 12' 12' 12' 10'± EXISTING EXISTING EXISTING TRAFFIC HOV SHOULDER LANE LANE LANE	EXISTING COLUMN EXISTING NORTHBOUND TRAFFIC LANES 10'± 12' 12' 12' 12' 12' EXISTING PROPOSED EXISTING EXISTIN	TING EXISTING ABUTMENT	TRANSPORTATION • UTAH • OTAH • Stanley Consulta • OTAH • Stanley Consulta • OF A Stanley C
EXISTING GROUND	XISTING CONCRETE AVEMENT TO REMAIN	2%	EXISTING CONCRETE MEDIAN PARAPET O SOUTH BRIDGE	NE BARRIER EXISTING	UTAH DEPARTMENT OF TRAN REGION TWO SALT LAKE CITY, UTAH REPRONAL DATE PROJECT DESIGN ENGINEER PROJECT DESIGN ENGINEER PROPEROY OF TRANSPORTED
MAY 28, 2003					I-15 UTAH CO. LINE TO 10600 SO. 9/8/10/8 LANE ALTERNATIVE APPROJECT SP-15-7(167)288
ELIMINARY					SALT LAKE COUNTY SHEET NO. TS-4

:5_02\Sheet_Files\Roadway_Design\9_8_10_8\3525_9_8_10_8L_RD01.dgn

UDOT MAINTENANCE PROJECT - SPRING 2003 PROPOSED MEDIAN ASPHALT PAVEMENT


PRELIMINARY

100	50 I	0	100
		SCALE	

DESIGN REV.BY ORIGIN

AL

SHEET NO. RD-2



04-JUN-2003 0:\16244\3525_02\Sheet_Files\Roadwau_Design\9_8_10_8

TTAH COUNTY

BROTECT NO. RD-3

SCALE

TERNATIVE

AL

DESIGN REV.BY ORIGIN

SO.

10600


T0 AL.

UTAH CO. 9/8/10/8

UTAH COUNTY SHEET NO. RD-4

SCALE

TERNATIVE



PRELIMINARY

04-JUN-2003 0:\16244\3525_02\

UDOT MAINTENANCE PROJECT - SPRING 2003 PROPOSED MEDIAN ASPHALT PAVEMENT

:5_02\Sheet_Files\Roadway_Design\9_8_10_8\3525_9_8_10_8L_RD05.dgr

DESIGN REV.BY ORIGIN

TERNAT

6

ω̈́


6

SHEET NO. RD-5

SCALE

-15

SP.



UTAH

SHEET NO. RD-6


04-JUN-2003 0:\16244\3525_

UTAH COUNTY SHEET NO. RD-7

:5_Ø2\Sheet_Files\Roadway_Design\9-8-10_8\3525_9_8-10_8L-RD08.dgn

SP.

JTAH/SALT LAKE COUNTY SHEET NO. RD-8



2. ALL WORK TO BE CONSTRUCTED DURING PHASE 1 EXCEPT WHERE NOTED.

ALTERNATIVE

9/8/10/8

SALT LAKE

SHEET NO. RD-9

100

100

SCALE

PRELIMINARY

04-JUN-2003 0:\16244\3525_02\SH

PROPOSED ROTOMILLING AND

ASPHALT PAVEMENT OVERLAY

:5_02\Sheet_Files\Roadway_Design\9_8_10_8\3525_9_8_10_8L_RD10.dgn

04-JUN-2003 0:\16244\3525_02\SF

SCALE

AL TERNAT I VE

9/8/10/8

04-JUN-2003 0:\16244\3525_02\

SCALE

AL TERNAT I VE

9/8/10/8

SHEET NO. RD-12

:5_02\Sheet_Files\Roadway_Design\9_8_10_8\3525_9_8_10_8L_RD13.dgn

SALT LAKE COUNTY SHEET NO. RD-13

-15-

SP.

DESIGN REV.BY ORIGIN

SCALE

04-JUN-2003 0:\16244\3525_02\


SP-15-7(167)288

SALT LAKE SHEET NO. RD-14

04-JUN-2003 0:\16244\3525_02\

SALT LAKE COUNTY

SHEET NO. RD-15



LEGEND

TRAVEL LANE

PROPOSED ASPHALT PAVEMENT WIDENING OR REPLACEMENT

NOTES:

- 1. ALL DIMENSIONS ARE IN FEET UNLESS OTHERWISE NOTED.
- 2. ALL WORK TO BE CONSTRUCTED DURING PHASE 1 EXCEPT WHERE NOTED.

MAY 28, 2003 **PRELIMINARY**



TRANSPORTA

DEPARTMENT OF
REGION TW
SALT LAKE CITY

UTAH

S0.

TO

co.

UTAH

AL TERNAT I VE 10600

9/8/10/8

SALT LAKE COUNTY

Ø4-JUN-2ØØ3 **0:**\16244\3525_Ø2\

04-JUN-2003 0:\16244\3525_02\Sheet_Files\Roadway_Design\9-8-10-8\35

TERNATIVE

A

9/8/10/8

04-JUN-2003 0:\16244\3525_

25_02\Sheet_Files\Roadway_Design\9_8_10_8\3525_9_8_10_8L_RD21.dgn

SHEET NO. RD-21

-7(167)288


-15

SP.

DESIGN REV.BY ORIGIN

-15-

:5_02\Sheet_Files\Roadway_Design\9-8-10_8\3525_9-8-10_8L-RD22.dgn



S0.

TO

c0.

АН

SCALE

AL TERNAT I VE 10600

9/8/10/8

SHEET NO. RD-23

04-JUN-2003 0:\16244\3525_

SHEET NO. RD-24 SCALE

ΙVΕ

TERNAT 1

AL

9/8/10/8

SP.

SCALE

SHEET NO. RD-25

04-JUN-2003 0:\16244\3525_02\Sheet_Files\Roadway_Design\9-8_10_8\3525_9-8_10_8L_RD25.dgr

DESIGN REV.BY ORIGIN


TERNATIVE

AL.


9/8/10/8

SCALE

04-JUN-2003 0:\16244\3525_02\



2. ALL WORK TO BE CONSTRUCTED DURING PHASE 1 EXCEPT WHERE NOTED.



S0.

TERNATIVE 10600

AL.

9/8/10/8

SALT LAKE SHEET NO. RD-27

UTAH

SCALE

DESIGN REV.BY ORIGIN

TERNATIVE

AL.


9/8/10/8

SP.

SHEET NO. RD-29

SCALE

:5_02\Sheet_Files\Roadway_Design\9-8-10_8\3525_9_8-10_8L_RD29.dgr



04-JUN-2003 0:\16244\3525_0

SALT LAKE COUNTY

SHEET NO. RD-30

SCALE

3. ANTICIPATED COMPLETION OF 12300 SOUTH PROJECT IS SUMMER 2004.

S0.

TO

UTAH CO. 9/8/10/8

SALT LAKE COUNTY


SHEET NO. RD-31

SCALE

AL TERNAT I VE 10600

04-JUN-2003 0:\16244\3525_02\SH

04-JUN-2003 0:\16244\3525_02\Sheet_Files\Roadway_Design\9-8-10_8\3525_9-8-10_8H_RD33.dgr




04-JUN-2003 0:\16244\3525_02\Sheet_Files\Roadway_Design\

> HIGH OCCUPANCY VEHICLE (HOV) TRAVEL LANE

PROPOSED ASPHALT PAVEMENT WIDENING OR REPLACEMENT

- 1. ALL DIMENSIONS ARE IN FEET UNLESS OTHERWISE NOTED.
- 2. ALL WORK TO BE CONSTRUCTED DURING PHASE 1 EXCEPT WHERE NOTED.

PRELIMINARY



TRANSPORTA

DEPARTMENT OF
REGION TW

UTAH

LANE ALTERNATIVE

9/8/10/8

SALT LAKE
COUNTY


SHEET NO. RD-34


10600

TO

.00

UTAH





DESIGN REV.BY ORIGIN

SP-15-7(167)288

PROJECT NUMBER

:5_02\Sheet_Files\Roadway_Design\9-8-10_8\3525_9_8-10_8L_RD36.dgn

-15-7(167)288

SCALE

25_02\Sheet_Files\Roadway_Design\9_8_10_8\3525_9_8_10_8L_RD37.dgn

DESIGN REV.BY

-15-

SP

25_02\Sheet_Files\Roadway_Design\9_8_10_8\3525_9_8_10_8L_RD38.dgr

04-JUN-2003 0:\16244\3525_02\Sheet_Files\Roadway_Design\9_8_10_8\3525_9_8_10_8L_RD39.dgn

SHEET NO. RD-39 SCALE

TRANSPORTA

DEPARTMENT OF T REGION TWO SALT LAKE CITY.

UTAH


LANE ALTERNATIVE

UTAH CO. 1 9/8/10/8

SALT LAKE COUNTY

SHEET NO. RD-40

TD 10600



LEGEND

TRAVEL LANE

HIGH OCCUPANCY VEHICLE (HOV) TRAVEL LANE


PROPOSED ASPHALT PAVEMENT WIDENING OR REPLACEMENT

NOTES:


1. ALL DIMENSIONS ARE IN FEET UNLESS OTHERWISE NOTED.


2. ALL WORK TO BE CONSTRUCTED DURING PHASE 1 EXCEPT WHERE NOTED.

MAY 28, 2003 **PRELIMINARY**



100





LOCATION PLAN

INDEX OF SHEETS

1. SITUATION & LAYOUT 2. SITUATION & LAYOUT 3. REHABILITATION DETAILS

CAST-IN-PLACE CONCRETE: f_c' = 3500 psi; f_c = 1400 psi; f_s (REINF.) = 24.000 psi; n =8

 f_{ci}^{\prime} = 3500 psi; f_{c}^{\prime} = 5000 psi; f_{s} (NONPRESTRESSED) = 24.000 psi; n =6

1/2" CONCRETE; FUTURE = 35 psf

SEISMIC PERFORMANCE CATEGORY C; $A_{250} = X.XXg.$ SOIL TYPE I

ITEM	ESTIM.	UNIT	AS CONST.
STRUCTURAL CONCRETE (EST. QTY. 756 yd³)	1	LUMP	
REINFORCING STEEL (COATED)	170,170	Ibs	
GRANULAR BACKFILL BORROW	105	yd³	
PRESTRESSED CONCRETE MEMBER (TYPE III) 47'-1	8	EACH	
PRESTRESSED CONCRETE MEMBER (TYPE III) 59'-10	8	EACH	
PRESTRESSED CONCRETE MEMBER (TYPE III) 54'-1	8	EACH	


PREL IMINARY NOT FOR CONSTRUCTION


					γa			
					DATE	7.80		
					Ç			
PORTATION			DESIGN JDP 01/03 CHECK JDP 01/03	Z CHECK DDC 03/03	WOT 01/03 20/03		QUANT. JDP 03/03 CHECK BPD 03/03	
OF TRANSF	SALT LAKE CITY. UTAH TRUCTURES RIVISION	SIRUCIURES DIVISIUN	DESIGN JDP 01/0	0, 100 G	OVIO LOW MANA		QUANT. JDP 03/0	
)EPARTMENT	SALT LAKE	SIRUCIURE		SENIOR DESIGN ENGR.			UDOT BRIDGE ENGR.	
UTAH			APPROVAL RFCOMM.	DATE		Appenden	DATE	
I-15 UTAH CO. LINE TO 10600 SO. UTAH DEPARTMENT OF TRANSPORTATION	1-1E OVER 14600 SOLITU	1-13 UVEN 14600 SUUTH	SITHATION & LAYOHT		PROJECT SP-15-7(167)288			
SALT LAKE COUNTY								


F-207W


DRG. NO.

SHT. 1 OF 3









LOCATION PLAN

GENERAL NOTES

- BILLET-STEEL BARS CONFORMING TO AASHTO M284 OR M111
 AND M31 GRADE 60.
- 2. ALL STRUCTURAL STEEL SHALL CONFORM TO AASHTO M270 GRADE 36 EXCEPT WHERE NOTED OTHERWISE.
- 3. CHAMFER ALL EXPOSED CONCRETE CORNERS $^3 \slash\!\!\!/ 4''$ EXCEPT WHERE NOTED OTHERWISE.
- 4. PROVIDE 2" CONCRETE COVER TO REINFORCING STEEL EXCEPT WHERE NOTED OTHERWISE.
- 5. ALL CAST-IN-PLACE CONCRETE SHALL BE CLASS AA (AE) EXCEPT WHERE NOTED OTHERWISE.

DESIGN DATA

HS 20-44 OR INTERSTATE ALTERNATE LOADING IN ACCORDANCE WITH CURRENT AASHTO AND INTERIM SPECIFICATIONS.

CAST-IN-PLACE CONCRETE: f_c' = 3500 psi; f_c = 1400 psi; f_s (REINF.) = 24,000 psi; n =8

PRESTRESSED CONCRETE: f_{ci}^{\prime} = 3500 psi; f_{c}^{\prime} = 5000 psi; f_{s} (NONPRESTRESSED) = 24.000 psi; n =6

STRUCTURAL STEEL: f_{S} = 20,000 psi

WEARING SURFACE: ''2" CONCRETE; FUTURE = 35 psf

DESIGN SPEED:

SEISMIC PERFORMANCE CATEGORY C; $A_{250} = X.XXg.$ SOIL TYPE I SEISMIC:

INVENTORY RATING: OPERATING RATING: HS XX.X

QUANTITIES

ITEM	ESTIM.	UNIT	AS CONST.
STRUCTURAL CONCRETE (EST. QTY. 662 yd3)	1	LUMP	
REINFORCING STEEL (COATED)	148,880	lbs	
GRANULAR BACKFILL BORROW	90	yd³	
PRESTRESSED CONCRETE MEMBER (TYPE II) 38'-11 ³ / ₈	27	EACH	
DRIVEN PILES 12 3/4 IN	2680	LIN. FT	
PILE DRIVING EQUIPMENT	1	LUMP	

NOT FOR CONSTRUCTION

PRELIMINARY

INDEX OF SHEETS

1. SITUATION & LAYOUT
2. SITUATION & LAYOUT
3. REHABILITATION DETAILS


							138	INC.	DEVISIONS	11.5 1 3 1 3 1 3	
							à				
							DATE	חוור			
							ç	.0.			
INDITATOR				снеск JDP 01/03		CHECK DRS 03/03			CHECK BPD 03/03		
JOSINVOT JC		SALI LANE CITTO DIAM	SUIVISIUN	DESIGN JDP 01/03 CHECK JDP 01/03		DRAWN NIPD O1/O3 CHECK DRS 03/03	CO / 10 C) NI		OUANT. JDP 03/03 CHECK BPD 03/03		
NOTIVE DEPAREMENT OF TRANSPORTATION		SALILANE	SIRUCIURE		down not one dotter	SENIUM DESIGN ENGR.			don't round roun	UDDI BRIDGE ENGR.	
				APPROVAL RECOMM.	4	DAIE		4000000	ALTROVED	חואט	
O O TNE TO 10600 CO	CU. LINE 10 10000 30.	OVED 11100 COLLTU	UVEN 11400 300111	TIION & LAYOUT				0_15_7/167/200	007/101/1-01-		


SALT LAKE COUNTY F-56W DRG. NO.

1 of 3

UTAH

5





I-15

Utah County Line to 10600 South Nine/Eight/Ten/Eight Alternative

(9 Lanes, Alpine Int. to Bangerter Highway Int.; 8 Lanes Under Bangerter Highway; 10 Lanes, Bangerter Highway Int. to 10600 South Int.; 8 Lanes Under 10600 South)

Utah County Portion (Alpine Exit to Utah County Line)

SUMMARY ESTIMATE OF PROBABLE COST

Item No.	Item Description	Quantity	Units	Unit Price	Total Cost
1	Roadway Excavation	4,700	CUYD	\$4.71	\$22,137
2	Borrow	23,400	CUYD	\$6.74	\$157,716
3	Roadway and Shoulder Pavement	12,200	SQYD	\$27.06	\$330,079
4	Reduced Pavement Section	0	SQYD	\$8.56	\$0
5	Crack and Seat with Pavement Overlay	0	SQYD	\$11.18	\$0
6	Rotomill and Pavement Overlay	0	SQYD	\$5.14	\$0
7	Stepped Pavement Type Concrete Barrier	0	FT	\$94.98	\$0
8	Concrete Barrier	500	FT	\$24.85	\$12,425
9	Conrete Barrier and Moment Slab	0	FT	\$118.00	\$0
10	Ramp Lighting	0	EACH	\$50,000.00	\$0
11	Overhead Sign Structure Widening	0	EACH	\$150,000.00	\$0
12	Bridge Rehabilitation	0	EACH	varies	\$0
13	Bridge Widening	0	SQFT	\$75.00	\$0
14	Retaining Wall	0	SQFT	\$30.00	\$0
15	Noise Barrier	1	LS	\$400,000.00	\$400,000
16	Drainage (10% of Items 1 - 15)	1	LS	10%	\$92,236
17	Temporary Erosion Control (10% of item 16)	1	LS	10%	\$9,224
	Pavement Marking (5% of Items 3-6)	1	LS	5%	\$16,504
19	Maintenance of Traffic During Construction (10% of Items 1 - 15)	1	LS	10%	\$92,236
20	Items Not Estimated (10% of Items 1 - 15)	1	LS	10%	\$92,236
21	Mobilization (2% of Items 1-20)	1	LS	2%	\$24,496
22	Design and Construction Engineering (15% of items 1-20)	1	LS	15%	\$183,719
23	Inflation - 1 year at 3% (3% of items 1-22)	1	LS	3%	\$42,990
24	Contingency (10% of Items 1-23)	1	LS	10%	\$147,600
	Total				\$1,623,596
	Total (Use)				\$2,000,000

6/5/2003 C-52

I-15

Utah County Line to 10600 South Nine/Eight/Ten/Eight Alternative

(9 Lanes, Alpine Int. to Bangerter Highway Int.; 8 Lanes Under Bangerter Highway; 10 Lanes, Bangerter Highway Int. to 10600 South Int.; 8 Lanes Under 10600 South) Salt Lake County Portion (Utah County Line to 10600 South)

SUMMARY ESTIMATE OF PROBABLE COST

Item No.	Item Description	Quantity	Units	Unit Price	Total Cost
	Roadway Excavation	250,800	CUYD	\$4.71	\$1,181,268
	Borrow	0	CUYD	\$6.74	\$0
	Roadway and Shoulder Pavement	364,000	SQYD	\$27.06	\$9,848,266
	Reduced Pavement Section	24,500	SQYD	\$8.56	\$209,735
	Crack and Seat with Pavement Overlay	32,900	SQYD	\$11.18	\$367,679
	Rotomill and Pavement Overlay	9,600	SQYD	\$5.14	\$49,371
	Stepped Pavement Type Concrete Barrier	800	FT	\$94.98	\$75,980
	Concrete Barrier*	57,600	FT	\$24.85	\$1,431,360
9	Conrete Barrier and Moment Slab	1,100	FT	\$118.00	\$129,800
	Ramp Lighting	0	EACH	\$50,000.00	\$0
	Overhead Sign Structure Widening	1	EACH	\$150,000.00	\$150,000
	Bridge Rehabilitation**	2	EACH	varies**	\$668,643
	Bridge Widening	18,100	SQFT	\$75.00	\$1,357,500
	Retaining Wall	50,900	SQFT	\$30.00	\$1,527,000
	Noise Barrier	1	LS	\$1,400,000.00	\$1,400,000
	Drainage (10% of Items 1 - 15)	1	LS	10%	\$1,839,660
	Temporary Erosion Control (10% of item 16)	1	LS	10%	\$183,966
	Pavement Marking (5% of Items 3-6)	1	LS	5%	\$523,753
	Maintenance of Traffic During Construction (10% of Items 1 - 15)	1	LS	10%	\$1,839,660
	Items Not Estimated (10% of Items 1 - 15)	1	LS	10%	\$1,839,660
	Mobilization (2% of Items 1-20)	1	LS	2%	\$492,466
22	Design and Construction Engineering (15% of items 1-20)	1	LS	15%	\$3,693,495
23	Inflation - 1 year at 3% (3% of items 1-22)	1	LS	3%	\$864,278
	, , , , , , , , , , , , , , , , , , , ,				****
24	Contingency (10% of Items 1-23)	1	LS	10%	\$2,967,354
	Total				\$32,640,894
	Total (Use)				\$33,000,000

^{*} Assuming that 1 mile (5,280') of UDOT furnished concrete barrier is available

6/5/2003 C-53

^{** 14600} Structure (F-207): \$394,526

^{** 11400} Structure (F-56): \$274,117